

EXHIBIT 6

2023 ADU Ordinance (Ord. No. 4615)

Proposed NCZO Amendments for Accessory Dwelling
Units and Junior Accessory Dwelling Units
(PL24-0014)

County of Ventura
Planning Commission Hearing
Case No. PL24-0014
Exhibit 6 – 2023 ADU Ordinance
(Ord. No. 4615)

This page left intentionally blank

ORDINANCE NO. 4615

AN ORDINANCE OF THE COUNTY OF VENTURA, STATE OF CALIFORNIA, AMENDING DIVISION 8, CHAPTER 1, ARTICLES 2, 5, 7, 8, 11, AND 19 OF THE VENTURA COUNTY ORDINANCE CODE, NON-COASTAL ZONING ORDINANCE PERTAINING TO ACCESSORY DWELLING UNITS AND JUNIOR ACCESSORY DWELLING UNITS

The Board of Supervisors of the County of Ventura ("County") ordains as follows:

Section 1

**ARTICLE 2:
DEFINITIONS**

Article 2, Section 8102-0 – Application of Definitions, of the Ventura County Ordinance Code is hereby amended by revising the following existing definition to read as follows:

Dwelling Unit, Accessory (ADU) - An attached or a detached residential *dwelling* unit, or a unit within the existing space of a primary *dwelling* unit, which provides complete independent living facilities for one or more persons and is located on a *lot* with a proposed or existing primary *dwelling*. It shall include permanent provisions for living, sleeping, eating, cooking, and sanitation on the same *lot* as the proposed or existing *single-family or multifamily dwelling*. An accessory dwelling unit also includes the following:

- (a) An efficiency unit, as defined in section 17958.1 of the Health and Safety Code; and
- (b) A manufactured home, as defined in section 18007 of the Health and Safety Code.

Article 2, Section 8102-0 – Application of Definitions, of the Ventura County Ordinance Code is hereby amended by adding the following definition:

Dwelling Unit, Junior Accessory (JADU) - A *dwelling* unit that is no more than 500 square feet in size and contained entirely within an existing or proposed single-family *dwelling*. A JADU may include separate sanitation facilities, or may share sanitation facilities with the existing structure.

Section 2

ARTICLE 5:

USES AND STRUCTURES BY ZONE

Article 5, Section 8105-4 - Permitted Uses in Open Space, Agricultural, Residential and Special Purpose Zones, of the Ventura County Ordinance Code, is hereby amended to read as follows with respect to the below-stated land uses relating to Accessory Dwelling Units and Junior Accessory Dwelling Units:

Sec. 8105-4 – Permitted Uses in Open Space, Agricultural, Residential and Special Purpose Zones

	OS	AE	RA	RE	RO	R1	R2	RPD	RHD	TP	TRU
DWELLINGS (43)											
Dwellings, Single-Family * (Mobilehomes - See Sec. 8107-1.3)	ZC	ZC	ZC	ZC	ZC	ZC	ZC	PD		ZC	
Mobilehome, Continuing Nonconforming (15)	CUP	CUP	CUP	CUP	CUP	CUP	CUP	CUP		CUP	
Dwellings, Two-Family, Or Two Single-Family Dwellings							ZC	PD			
Dwellings, Multi-Family (42)(43)(44)								PD	ZC		
Accessory Dwellings											
Accessory Dwelling Unit (ADU)	Pursuant to Sec. 8107-1.7										
Junior Accessory Dwelling Unit (JADU)	Pursuant to Sec. 8107-1.7										
Employee Housing (55)	See Sec. 8107-26										
Agricultural Employee Housing											
Maximum of 4 dwelling units	ZC	ZC	ZC							ZC	
More than 4 dwelling units or not meeting standards established by Sec. 8107-26.3	PD	PD	PD							PD	
Other Employee Housing (6 or fewer employees)	ZC	ZC	ZC	ZC	ZC	ZC	ZC	PD		ZC	
Farmworker Housing Complex (55)	PD	PD	PD								
Farmworker Group Quarters (55)	PD	PD	PD								

	OS	AE	RA	RE	RO	R1	R2	RPD	RHD	TP	TRU
Dwellings, Accessory Structures To											
Buildings For Human Habitation: (3, 19)											
temporary housing during construction/prior to reconstruction* (19, 42, 50)	ZC	ZC	ZC	ZC	ZC	ZC	ZC	ZC	ZC	ZC	

*There are specific regulations for this use or structure; see Article 7 and Article 9. Italicized numbers refer to amendment history at end of use matrices.

Article 5, Section 8105-5 - Permitted Uses in Commercial and Industrial Zones, of the Ventura County Ordinance Code is hereby amended to read as follows with respect to the below-stated land uses relating to Accessory Dwelling Units:

Sec. 8105-5 - Permitted Uses in Commercial and Industrial Zones

	CO	C1	CPD	M1	M2	M3
MIXED USE DEVELOPMENT WITHIN THE CBD OVERLAY ZONE PER SECTION 8109-4.5.5 (37)			PD			
Accessory Dwelling Unit (ADU) within the CBD overlay zone*			Pursuant to Sec. 8107-1.7			

*There are specific regulations for this use or structure; see Article 7 and Article 9. Italicized numbers refer to amendment history at end of use matrices.

E = Exempt	ZCW = Zoning Clearance with signed waivers	Not Allowed	Exempt	Approved by Planning Director or Designee	Approved by Planning Commission	Approved by Board of Supervisors
ZC = Zoning Clearance unless specifically exempted	PD = Planned Development Permit CUP = Conditional Use Permit					

Section 3
ARTICLE 7:
STANDARDS FOR SPECIFIC USES

Article 7, Section 8107-1.7 – Accessory Dwelling Units, of the Ventura County Ordinance Code, is hereby repealed and reenacted to read as follows:

8107-1.7 – Accessory Dwelling Units and Junior Accessory Dwelling Units

Sec. 8107-1.7.1 – Purpose

The purpose of this Section 8107-1.7 is to allow and regulate *accessory dwelling units (ADUs)* and *junior accessory dwelling units (JADUs)* in compliance with Government Code sections 65852.2 and 65852.22, as may be amended. Pursuant to Government Code section 65852.2, an *ADU* permitted through this Section 8107-1.7 does not exceed the allowable density for the *lot* upon which the *ADU* is located; and an *ADU* is a residential use that shall be deemed consistent with the existing general plan and zoning designation for the *lot*. If any provision of this Section 8107-1.7 or the underlying zoning district standards conflicts with state law, the latter shall govern.

Sec. 8107-1.7.2 – Definitions

As used in this Section 8107-1.7, the following definitions shall apply:

Accessory Structure - A structure that is accessory and incidental to a *dwelling* located on the same *lot* as defined in Government Code section 65852.2(j)(2), as may be amended.

Existing - Space, units, or structures that are legally permitted or legal non-conforming.

Nonconforming Zoning Condition - A physical improvement on a property that does not conform with current zoning standards as defined in Government Code section 65852.2(j)(6), as may be amended.

Passageway - A pathway that is unobstructed clear to the sky and extends from a street to one entrance of the *accessory dwelling unit* as defined in Government Code section 65852.2(j)(7), as may be amended.


Proposed Dwelling - A *dwelling* that is the subject of a permit application and that meets the requirements for permitting as defined in Government Code section 65852.2(j)(8), as may be amended.

Public Transit - A location, including, but not limited to, a bus stop or train station, where the public may access buses, trains, subways, and other forms of transportation that charge set fares, run on fixed routes, and are available to the public as defined in Government Code section 65852.2(j)(9), as may be amended.

Tandem Parking - A parking configuration where two or more automobiles are parked on a driveway or in any other location on a *lot*, lined up behind one another as defined in Government Code section 65852.2(j)(10), as may be amended.

Total Floor Area - Shall have the same definition as "building area" as set forth in Title 24, Part 2, Chapter 2 of the California Building Code, as may be amended, which states: "The area included within surrounding exterior walls, or exterior walls and fire walls, exclusive of vent shafts and courts. Areas of the building not provided with surrounding walls shall be included in the building area if such areas are included within the horizontal projection of the roof or floor above." However, the computation of total floor area for ADUs shall not include: a garage that is attached to, or below the ADU when there is no internal access from the garage to the ADU; or an unenclosed area or feature such as any eave or architectural feature, attached covered patio or deck, an open deck constructed at or below the level of the first floor, a balcony or the space below a cantilevered balcony, the space below an open and unenclosed stairway, a covered car port, a bay window that does not extend to the floor or protrude more than 18 inches from the adjoining exterior wall, or similar, as illustrated in Figure 1.

Figure 1



Sec. 8107-1.7.3 – Types of Accessory Dwelling Units

An ADU may be created in the following forms:

- a. **Detached:** The ADU is separated from the primary residential structure.
- b. **Attached:** The ADU is attached to the primary residential structure. An attached ADU may include the conversion of existing partially enclosed spaces (such as a covered patio) to an ADU that is attached to the primary residential structure.

- c. Space within Primary Residential Structure: The ADU is created within the space (e.g., primary bedroom, attached garage, storage area, or similar use) of an existing or proposed primary residential structure.
- d. Space within an Existing Accessory Structure: The ADU is created within the space of an existing accessory structure that is located on the lot of the primary residence.

Sec. 8107-1.7.4 – ADUs and JADUs Allowed by Building Permit

A complete application for a building permit shall be ministerially approved to allow an ADU and/or JADU that meets applicable Building Code and Fire Code requirements and the standards set forth in Sections 8107-1.7.4(a), (b), (c) or (d).

- a. **Within Space of *Single-Family Dwellings* and Accessory Structures:** One ADU and one JADU per lot is allowed if all the following standards are met:

- (1) The subject *lot* is zoned R1, R2, RES, RPD, R/MU, RA, RE, RO, or CPD/CBD.

- (2) Location of ADU and/or JADU:

- (a) The ADU or JADU is created within a portion of the existing or proposed space of a *single-family dwelling* and has exterior access from the proposed or existing *single-family dwelling*; or

- (b) The ADU is created within the existing space of an accessory structure, such as the conversion of garages and other accessory structures, either attached or detached from the primary dwelling. An existing accessory structure may include an expansion of not more than 150 square feet beyond its same physical dimensions, but such expansion shall be limited to accommodating ingress and egress to the ADU.

- (3) The side and rear *setbacks* comply with applicable Building and Fire Code requirements, even if the existing side and rear setbacks are legal non-conforming.

- (4) The JADU complies with the requirements of Government Code section 65852.22 and Section 8107-1.7.6.

- b. **New Detached ADU with an Existing or Proposed *Single-Family Dwelling*:** One detached new construction ADU is allowed on a *lot* with a proposed or existing *single-family dwelling* and may be combined with a JADU if all the following standards are met:

- (1) The subject *lot* is zoned R1, R2, RES, RPD, R/MU, RA, RE, RO, or CPD/CBD.

- (2) The ADU's side and rear yard *setbacks* are at least four feet.

- (3) The ADU does not exceed 850 square feet.

- (4) The ADU's maximum building height above grade complies with the height limitations identified in Section 8107-1.7.5(d)(1).

- (5) The JADU complies with the requirements of Government Code section 65852.22 and Section 8107-1.7.6.

- c. **ADUs in Existing Multifamily Dwelling Structures:** ADUs within portions of existing *multifamily dwelling* structures are allowed, and may be combined with detached ADUs pursuant to Section 8107-1.7.4(d), if all the following standards are met, even if the *multifamily dwelling* is legal nonconforming:
- (1) The subject *lot* is zoned R1, R2, RES, RPD, R/MU, RHD, RA, RE, RO, or CPD/CBD.
 - (2) Location of ADU:
 - (a) The ADUs are created within portions of the existing *multifamily dwelling* structures that are not used as livable space, including, but not limited to, storage rooms, boiler rooms, passageways, attics, basements, or garages. If there is no existing non-livable space within a *multifamily dwelling* structure, an ADU cannot be created pursuant to this Section 8107-1.7.4(c).
 - (b) The non-livable space used to create an ADU pursuant to this Section 8107-1.7.4(c) on a lot with mixed-uses shall be limited to the residential areas, and shall not include the areas used for commercial or other non-residential activities. Parking and storage areas for non-residential uses shall also be excluded from potential ADU development pursuant to this Section 8107-1.7.4(c).
 - (3) The maximum number of ADUs that may be created pursuant to this Section 8107-1.7.4(c) shall be at least one or the number of ADUs equal to up to 25 percent of the existing *multifamily dwelling* units, whichever is greater.
- d. **Detached ADUs with Existing or Proposed Multifamily Dwelling:** Up to two detached ADUs are allowed on *lots* with an existing or proposed *multifamily dwelling*, and may be combined with ADUs created within *multifamily dwellings* pursuant to Section 8107-1.7.4(c), if all the following standards are met, even if the *multifamily dwelling* is legal nonconforming:
- (1) The subject *lot* is zoned R1, R2, RES, RPD, R/MU, RHD, RA, RE, RO, or CPD/CBD.
 - (2) The ADUs maximum height above grade complies with the height limitations identified in Section 8107-1.7.5(d)(1).
 - (3) New construction ADUs shall not exceed 1,200 square feet.
 - (4) The ADU's side- and rear-yard *setbacks* are at least four feet.
 - (5) Detached ADUs may be attached to each other, but must be detached from the existing or proposed *multifamily dwelling* and from other accessory structures on the lot.
- e. **No Zoning Clearance Required:** No Zoning Clearance or other land use entitlement is required pursuant to this Chapter for an ADU or JADU authorized under this Section 8107-1.7.4.
- f. **Not Subject to Development Standards in Section 8107-1.7.5:** ADUs that meet the requirements of Section 8107-1.7.4(a), (b), (c), or (d) and are entitled to a

building permit are not subject to the development standards of Section 8107-1.7.5, including size, *setback*, parking and *lot* coverage requirements.

Sec. 8107-1.7.5 – Development Standards for ADUs Not Authorized under Section 8107-1.7.4

ADUs that do not meet the standards under Section 8107-1.7.4 for approval by building permit shall be approved with a ministerial Zoning Clearance if the ADU meets Building Code and Fire Code requirements, the standards in this Section 8107-1.7.5 and other applicable zoning standards.

a. Property Requirements:

(1) The subject *lot* is zoned R1, R2, RES, RPD, R/MU, RHD, RA, RE, RO, CPD/CBD, OS, AE, or TP.

(2) The *lot* has a proposed or existing *single-family* or *multifamily dwelling*.

b. Maximum Number of ADUs and JADUs per Lot: Each *lot* may have one ADU if the standards of this Section 8107-1.7.5 are met, and one JADU if the standards of Section 8107-1.7.6 are met.

c. Parking Standards:

(1) No Parking Requirements: No parking standards apply for an ADU in any of the following instances:

(a) Where the ADU is located within one-half mile walking distance of public transit.

(b) Where the ADU is located within an architecturally and historically significant historic district.

(c) Where the ADU is part of the proposed or existing primary residence or an accessory structure.

(d) When on-street parking permits are required but not offered to the occupant of the ADU.

(e) When there is a car share vehicle, as defined by section 22507.1(d) of the Vehicle Code, located within one block of the ADU.

(f) When a permit application for an ADU is submitted with a permit application to create a new *single-family dwelling* or a new *multifamily dwelling* on the same lot, provided that the ADU or the parcel satisfies any of the criteria listed above in this Section 8107-1.7.5(c)(1).

(2) Required Off-street Parking: Except as provided in Section 8107-1.7.5(c)(1), the following off-street parking standards shall apply:

(a) Number of Spaces. One covered or uncovered off-street parking space is required per ADU or per bedroom, whichever is less.

(b) Location of Spaces. Off-street parking may be provided as tandem parking on a driveway. Additionally, the parking space for an ADU may encroach into a required front and/or interior side *setback*, provided that:

- i. The long dimension of the space is parallel to the centerline of the nearest driveway on the *lot*; and
- ii. On *interior lots*, a minimum distance of three feet from the side *lot line* remains unobstructed by vehicles.

(3) No Off-Street Replacement Parking Required for Primary Residential Structure: When a garage, carport, or covered parking structure is demolished in conjunction with the construction of an *ADU* or converted to an *ADU*, those off-street parking spaces do not need to be replaced for the primary dwelling. Additionally, no parking is required for a newly created *ADU* pursuant to Section 8107-1.7.5(c)(1)(c) above.

d. Height:

- (1) The maximum allowed height for detached *ADUs* is as follows:
 - (a) Maximum of 16 feet above grade on a lot with an existing or proposed *single-family* or *multifamily dwelling*; or
 - (b) Maximum of 18 feet above grade on a *lot* with an existing or proposed *multifamily dwelling* with multiple stories; or
 - (c) Maximum of 18 feet above grade if the *lot* has an existing or proposed *single-family* or *multifamily dwelling*, and is within one half-mile walking distance of a major transit stop or a high-quality transit corridor, as defined in Section 21155 of the Public Resources Code. An additional two feet in overall height is allowed to accommodate a roof pitch that is aligned with the roof pitch of the primary *dwelling unit*.
 - (d) Detached *ADUs* may exceed the allowable height limits set forth in subsections (a) through (c) above if the *ADU* is set back at least 20 feet from all property lines, but the *ADU* shall not exceed the maximum allowed building height of the primary *dwelling unit* on the *lot*, pursuant to Article 6 of this Chapter.
 - (e) Detached *ADUs* are limited to no more than two stories.
- (2) The maximum allowed height for an attached *ADU* is 25 feet above grade or the maximum allowed building height of the primary dwelling pursuant to Article 6 of this Chapter, whichever is lower.

e. Setbacks:

- (1) No additional *setbacks* are required if any of the following are converted to an *ADU* or portion of an *ADU*: (a) an existing living area; (b) an existing accessory structure; or (c) a new structure constructed in the same building footprint and to the same dimensions as an existing structure. The provisions of Article 13 of this Chapter shall not apply in these situations. For purposes of this section, living area, as defined by Government Code section 65852.2(j)(4), means the interior habitable area of a *dwelling unit*, including basements and attics, but does not include a garage or any accessory structure.
- (2) All other new attached and detached *ADUs* shall have four-foot *setbacks* from the rear and side *lot lines*.

- f. **Minimum Lot Size:** There is no minimum *lot* size requirement for an *ADU* or *JADU*.
- g. **ADU Size for Attached and Detached ADUs:**
 - (1) For *lots* that are 9,000 square feet or less, the maximum total floor area of an attached or detached *ADU* shall be 850 square feet if there is one bedroom or an efficiency unit; or 1,000 square feet if there is more than one bedroom; or
 - (2) For *lots* that are larger than 9,000 square feet, but less than 10 acres, the maximum total floor area of an attached or detached *ADU* shall be 1,200 square feet; or
 - (3) For *lots* that are 10 acres in size or larger, the maximum total floor area of an attached or detached *ADU* shall be 1,800 square feet.
 - (4) Covered patios, decks, and garages below the *ADU* are not included in the total floor area computation but are counted toward the maximum allowable square footage allowed for "accessory structures to dwellings" in Sec. 8105-4.
- h. **ADUs Within Space of Single-Family Dwellings:** One *ADU* per *lot* is allowed within a proposed or existing *single-family dwelling* if the applicable standards of this Section 8107-1.7.5 and the following standards are met:
 - (1) The *ADU* is created within a portion of the existing or proposed space of a *single-family dwelling* and has independent exterior access;
 - (2) The *ADU* does not have internal access to the primary dwelling;
 - (3) The *ADU* does not exceed the size maximums for attached or detached *ADUs* set forth in Section 8107-1.7.5(g), as applicable; and
 - (4) The side and rear *setbacks* comply with applicable Building and Fire Code requirements.
- i. **Accessory Structures:**
 - (1) No accessory structure shall be attached to a detached *ADU* unless the combined total floor area of the accessory structure and *ADU* does not exceed the allowable size of the *ADU* per Section 8107-1.7.5(g). This provision does not apply to *ADUs* built attached to, or above a garage.
 - (2) An *ADU* attached to an accessory structure shall not have internal access to the accessory structure.
- j. **Limited Exception to Development Standards:** Notwithstanding any other minimum or maximum size for an *ADU*, size that may be limited based upon a percentage of the proposed or existing primary dwelling, or limits on *lot* coverage, floor area ratio, open space, front *setback*, and minimum *lot* size, for either attached or detached *ADUs*, an *ADU* that is up to 850 square feet with four-foot side and rear *setbacks* may be constructed in compliance with all other applicable development standards.

Sec. 8107-1.7.6 – JADU Requirements

A *JADU* must comply with the following requirements:

a. Number and Location:

- (1) The subject *lot* is within one of the following single-family residential zones: R1; R2; RES; RPD; RA; RE; or RO.
- (2) One *JADU* is allowed per *lot*.
- (3) The *JADU* must be created within the walls of a proposed or existing *single-family dwelling*, including attached garages, which are considered within the walls of the existing *single-family dwelling*.
- (4) *Lots* with multiple detached *single-family dwellings* are not eligible to have a *JADU*.
- (5) A *JADU* is not allowed in a *multifamily dwelling*.
- (6) A *JADU* is not allowed in an accessory structure.

b. Size: The *JADU* shall not be larger than 500 square feet in total floor area.

c. Kitchen: The *JADU* must contain an efficiency *kitchen* that includes:

- (1) Cooking facility with appliances, and
- (2) A food preparation counter and storage cabinets.

d. Entrance: The *JADU* shall have a separate entrance from the main entrance to the proposed or existing *single-family dwelling*. An interior entry into the *single-family dwelling* is not required unless the *JADU* shares sanitation facilities with the *single-family dwelling*.

e. Parking:

- (1) When a *JADU* is created by the conversion of an attached garage, replacement parking for the primary residential structure is not required to be provided.
- (2) No parking is required for a *JADU*.

f. Sanitation: A *JADU* must either include separate sanitation facilities or share sanitation facilities with the *single-family dwelling*.

Sec. 8107-1.7.7 – ADU and JADU Application Processing and General Requirements

a. Ministerial Permit Approval:

- (1) Permit applications for an *ADU* or *JADU* that meet the requirements of this Section 8107-1.7 shall be considered and approved ministerially without discretionary review or a hearing.
- (2) Except for deviations processed and granted in accordance with Section 8107-37.3 (Deviations for Cultural Heritage Sites) and Section 8111-9 (Reasonable Housing Accommodations), or as required by state law, no variance to the standards or requirements of this Chapter is available for an *ADU* or *JADU*.

b. Type of Permit:

- (1) Applications pursuant to Sections 8107-1.7.4 and 8107-1.7.6 shall be reviewed and approved with a building permit, if the applicable standards are met.
- (2) Applications pursuant to Section 8107-1.7.5 shall be reviewed and approved with a Zoning Clearance, if the applicable standards are met.

c. When Demolition Permit Required: A demolition permit for a detached garage that is to be replaced with an *ADU* shall be reviewed with the application for the *ADU* and issued at the same time.

d. Nonconforming Zoning Violations: Correction of nonconforming zoning conditions, building code violations, or unpermitted structures that do not present a threat to public health and safety and are not affected by the construction of an *ADU* shall not be a condition to ministerial approval of an *ADU* or *JADU* application.

e. Rentals, Owner Occupancy and Transfers:

- (1) Rentals: An *ADU* and *JADU* may each be rented separately from the primary residence.
- (2) Rental Term: All *ADUs* and *JADUs*, and any portion thereof, that are rented shall be rented for terms that are longer than 30 consecutive days.
- (3) Owner Occupancy
 - (a) Lot with ADU: For a *lot* with an *ADU*, the owner of the *lot* does not have to occupy the primary residence or *ADU*. However, if a *single-family dwelling* has an *ADU* and a *JADU*, then the owner must occupy either the *JADU* or the remaining portion of the *single-family dwelling* in accordance with Section 8107-1.7.7(d)(3)(b).
 - (b) Lot with JADU: At the time of application for a *JADU*, the owner of the *lot* must reside in the *single-family dwelling*. Upon completion of construction of the *JADU*, the owner must occupy either the remaining portion of the *single-family dwelling* or the *JADU*. For purposes of this Section 8107-1.7.7(d)(3)(b), owner includes a beneficial owner when the property is owned by a trust or legal entity. Owner-occupancy, however, is not required if the owner is a governmental agency, land trust, or housing organization.
- (4) Sales and Transfers: Except as provided in Government Code section 65852.26, an *ADU* may not be sold or otherwise conveyed separately from the primary residence. *JADUs* may not be sold or transferred separately from the *single-family dwelling*.

f. Deed Restriction:

- (1) For ADUs: Upon approval of an *ADU*, a deed restriction running with the land in a form provided by the County must be recorded with the County Recorder at the property owner's expense. The deed restriction must include the following:

- (a) Rentals of the *ADU* must be for a term that is longer than 30 consecutive days; and
 - (b) Except as provided in Government Code section 65852.26, the *ADU* may not be sold or otherwise conveyed separately from the primary residence.
- (2) For *JADUs*: Upon approval of a *JADU*, a deed restriction running with the land in a form provided by the County must be recorded with the County Recorder at the property owner's expense. The deed restriction must include the following:
- (a) Rentals of the *JADU* must be for a term that is longer than 30 consecutive days;
 - (b) A prohibition on the sale of the *JADU* separate from the sale of the *single-family dwelling*, including a statement that the deed restriction may be enforced against future purchasers; and
 - (c) A restriction on the size and attributes of the *JADU* that conforms with Section 8107-1.7.6 and Government Code section 65852.22.

Article 7, Section 8107-37.3 – Range and Approval of Allowed Deviations within Section 8107-37 – Cultural Heritage Sites of the Ventura County Ordinance Code is hereby amended to read as follows:

Sec. 8107-37.3 – Range and Approval of Allowed Deviations

To advance the purpose outlined in Sec. 8107-37.1, deviations from various standards and regulations of this chapter may be granted as part of a Planned Development permit. Deviations "a" and "k" may only be granted by the Planning Commission. All others may be granted by the Planning Director or their designee. (AM. ORD. 4282 - 5/20/03; AM. ORD. 4577 – 3/9/21 (grammar))

- a. Minimum Lot Area - Sec. 8103-0 (Purpose and Establishment of Zones and Minimum Lot Areas), Sec. 8103-1 et seq. (Establishment of Alternative Minimum Lot Area by Suffix), Sec. 8106-1.1 and Sec. 8106-1.2;
- b. Permit Approval Level - Sec. 8105-4 (Permitted Uses in Open Space, Agricultural, Residential and Special Purpose Zones). Where the square footage or gross floor area of structures on a lot requires a given permit to be issued, the square footage of significant historic structures on a Cultural Heritage Site shall not be counted towards the total square footage of structures;
- c. Permit Approval Level - Sec. 8105-5 (Permitted Uses in Commercial and Industrial Zones). Where the square footage or gross floor area of structures on a lot requires a given permit to be issued, the square footage of structures on a Cultural Heritage Site shall not be counted towards the total square footage of structures;
- d. General Development Standards - Sec. 8106-1.1 (Development Standards for Uses and Structures in OS, AE, and R Zones); (AM. ORD. 4377 – 1/29/08)
- e. General Development Standards - Sec. 8106-1.2 (Development Standards for Uses and Structures in Commercial, Industrial, and Special Purpose Zones);

- f. Fences, Walls and Hedges - Sec. 8106-8.1 et seq.
- g. Accessory Dwelling Unit Standards - Sec. 8107-1.7 et seq. (*Accessory Dwelling Units and Junior Accessory Dwelling Units*); (AM. ORD. 4519-2/27/18)
- h. Parking Standards - Sec. 8108 et seq. (Parking and Loading Requirements); (AM. ORD. 4407 – 10/20/09)
- i. Landscaping Standards - Section 8106-8.2, Section 8108-5.14 and Section 8109-0.6 (Landscaping); (AM. ORD. 4407 – 10/20/09; AM. ORD. 4577 – 3/9/21)
- j. Signage - Sec. 8110-4a (Prohibited portable freestanding signs), Sec. 8110-4i (Prohibited Projecting Signs), Sec. 8110-5-2 et seq (Location); and
- k. Non-conforming Uses and Structures - Sec. 8113-5.2 (Uses Within Structures Subject to Amortization), Sec. 8113-5.2.1 (Expansion and Change of Use Prohibited), Sec. 8113-5.3 et seq (Uses Not Amortized), Sec. 8113-6.1 (Destruction, Uses Not Amortized), Sec. 8113-6.2 (Destruction, Uses Amortized), Sec. 8113-7 (Additional Use), Sec. 8113-8 (Use of Non-conforming Lots).

Section 4

ARTICLE 8:

PARKING AND LOADING REQUIREMENTS

Article 8, Section 8108-4.7 – Table of Parking Space Requirements by Land Use of the Ventura County Ordinance Code is hereby amended to read as follows with respect to the below-stated residential land uses:

Sec. 8108-4.7 – Table of Parking Space Requirements by Land Use

The table below indicates the number of required off-street motor vehicle and bicycle parking spaces that shall be provided for various land uses. For non-residential land uses, the number of motor vehicle parking spaces set forth in the table, plus or minus 10 percent of the total, represents the minimum required and the maximum allowed number of spaces, unless varied pursuant to Section 8108-4.8 below.

For residential land uses the number of motor vehicle parking spaces set forth in the table represents the minimum required number of spaces, unless varied pursuant to Section 8108-4.8 below. The number of motor vehicle parking spaces required in this section is intended to address the needs of residents, employees and regular users of an establishment. The number is not intended to reflect the need for parking large delivery trucks, vans or buses; storage of vehicle inventory; or other specialty parking needs related to the operation of specific land uses.

The Director has the authority to determine the parking space requirements for any land use not specifically listed based on the requirements for the most comparable land use.

LAND USE	MOTOR VEHICLE SPACES REQUIRED	BICYCLE SPACES REQUIRED
RESIDENTIAL LAND USES	MINIMUM REQUIRED	
Accessory Dwelling Units	1 covered/uncovered space (in addition to the spaces required for the primary dwelling unit) No additional parking is required for accessory dwelling units that meet the provisions of Sec. 8107-1.7.4 or Sec. 8107-1.7.5(c)(1).	
Junior Accessory Dwelling Units	No parking is required for a Junior Accessory Dwelling Unit	
Single Family and Two-Family Dwellings ¹		
1-4 Bedrooms (per unit)	2 covered ² spaces	
5 Bedrooms (per unit)	3 spaces (2 shall be covered ²)	
6 or More Bedrooms (per unit)	4 spaces, (2 shall be covered ²)	

¹ Pursuant to Sec. 8107-1.7.5(c)(3), when a garage, carport, or covered parking structure is demolished in conjunction with the construction of an ADU or converted to an ADU, those off-street parking spaces do not need to be replaced.

² Except that on parcels larger than 1 acre located in OS, AE, RA, RE, RO, and TP zones, parking may be uncovered.

Section 5

ARTICLE 11:

ENTITLEMENTS – PROCESS AND PROCEDURES

Article 11, Section 8111-7.6 – Accessory Dwelling Unit Procedures within Sec. 8111-7 - Appeals of the Ventura County Ordinance Code is hereby amended to read as follows:

Sec. 8111-7.6 - Accessory Dwelling Unit and Junior Accessory Dwelling Unit Procedures

Notwithstanding any other provisions of this Article:

- a. No public hearings shall be conducted on applications for accessory dwelling units or junior accessory dwelling units under Sections 8105-4, 8107-1.7, and 8108-4.7. (AM. ORD. 4407 – 10/20/09)
- b. Decisions on accessory dwelling units and junior accessory dwelling units are final County decisions when rendered and are not subject to appeal.

Section 6

ARTICLE 19:

SPECIFIC STANDARDS FOR AREA PLANS

Article 19, Section 8119-1 – Old Town Saticoy Development Code of the Ventura County Ordinance Code is hereby amended to address accessory dwelling units and junior accessory dwelling units as follows:

See following pages

PERMITTED USES IN OLD TOWN SATICOY, BY ZONE				
	TC	R/MU	RES	IND
WAREHOUSING AND STORAGE, INDOOR ONLY				PD
Building Materials, Movers' Equipment, etc.				PD
Ministorage, with or without RV Storage *				CUP
Warehousing and Storage, with outdoor storage				CUP
WASTE HANDLING, WASTE DISPOSAL AND RECYCLING FACILITIES *				
Recyclables Collection Centers*				ZC
Reuse Salvage Facilities (Indoor only)				CUP
Temporary Collection Activities *	ZC	ZC	ZC	ZC
Waste Collection And Processing Activities To Mitigate An Emergency *	ZC	Pursuant to Sec. 8107-36.3.12		ZC
WASTEWATER/SEWAGE TREATMENT FACILITIES				
Individual Sewage Disposal Systems				
On-Site Wastewater Treatment Facilities				
WATER PRODUCTION, STORAGE, TRANSMISSION, AND DISTRIBUTION FACILITIES				
4 Or Fewer Domestic Service Connections (Privately Operated)	ZC	ZC	ZC	ZC
5 Or More Domestic Service Connections (Privately Operated)	PD	PD	PD	PD
Well Drilling For Use Only On Lot Of Well Location	E	E	E	E
WHOLESALE TRADE				CUP
B] ACCESSORY USES AND STRUCTURES				
ACCESSORY USES AND STRUCTURES	ZC	ZC	ZC	ZC
Keeping of Animals				
Pet animals <i>Per Sec. 8107-2.4</i>	E	E	E	
Security animals (<i>See Sec. 8107-2.4.4</i>)	E			E
More Animals Than Permitted	CUP			CUP
Youth projects *			ZC-W	
Dwellings:				
Buildings For Human Habitation:				
Live/Work Units	PD			
For Caretaker (with or without pets)				CUP
For Superintendent Or Owner	CUP	PD		CUP
Accessory Dwelling Unit (ADU)* (AM, ORD. 4519 - 2/27/18)		Pursuant to Sec. 8107-1.7		
Junior Accessory Dwelling Unit (JADU)*			Pursuant to Sec. 8107-1.7	

E = Exempt	PD = Planned Development Permit ¹	Not allowed	Exempt	Approved by Planning Director or Designee	Approved by Planning Commission	Approved by Board of Supervisors
ZC = Zoning Clearance ¹	CUP = Conditional Use Permit ¹					
ZC-W = Zoning Clearance with signed waivers ¹						

* There are specific regulations for this use; see Article 7.


¹ Includes a review for conformance with the Old Town Saticoy Development Code.

Sec. 8119-1.3.2 - Residential/Mixed Use (R/MU) Zone

a. Building Placement

1. Buildings shall be located within the building site per [Table 1.3.2\(a\)](#) below. Setbacks are measured as per [Sec. 8106-4](#).
2. See [Sec. 8119-1.4](#) (Building Type Standards) for allowed building types, minimum and maximum lot width and depth dimensions, and applicable design requirements.
3. Corner lots along L.A. Avenue shall include ground-floor commercial retail facing L.A. Avenue.
4. See [Sec. 8119-1.8](#) for additional requirements.
5. Outdoor uses (such as dining) must be located within the property line.

TABLE 1.3.2(a) BUILDING PLACEMENT STANDARDS



PRIMARY BUILDING	MIN.	MAX.
a Primary Street Setback ¹	10 ft.	20 ft. ²
b Side Street Setback ¹	5 ft.	15 ft. ²
c Side Setback	5 ft.; 8 ft. for three story buildings	–
d Rear Setback	10 ft.	–

ACCESSORY BUILDING

Pursuant to [Sec. 8107-1.7](#), an accessory dwelling unit (ADU) shall be allowed on a lot zoned R/MU with an existing or proposed single-family or multifamily dwelling.³ In all other instances, no detached habitable Accessory Buildings are allowed within the R/MU Zone. However, an attached habitable Accessory Dwelling for a Superintendent or Owner is allowed (See [Sec. 8119-1.4.10](#)).

[1] Primary or Side Street setbacks to be landscaped or paved as per [Sec. 8119-1.4.2\(e\)](#).


[2] Exceptions are available for outdoor uses (such as dining, landscaping, etc.)

[3] See [Sec. 8119-1.3.3\(a\) and \(b\)](#) for building placement and building profile standards for ADUs. (AM. ORD. 4519 - 2/27/18)

b. Building Profile

1. Building heights shall comply with the standards listed in [Table 1.3.2\(b\)](#), and are measured as per [Sec. 8119-1.8.2](#). Floor heights are measured floor to floor.
2. The maximum height of buildings with flat roofs shall include parapets and roof decks.
3. Chimneys and other architectural features may project beyond the maximum building height as allowed by the California Building Code and [Sec. 8106-7](#).

TABLE 1.3.2(b) BUILDING PROFILE STANDARDS




PRIMARY BUILDING	MIN.	MAX.
e Building height (stories)	1	3
Building height (ft.) for pitched roofs	–	50
Building height (ft.) for flat roofs	–	45
f Building height (ft.) to top-of-plate	16	40
g Ground floor level above sidewalk (ft.)		
Nonresidential	0	2
Residential	0	2
h Ground story floor to floor height (ft.)		
Nonresidential	12	30
Residential	12	20
i Upper story floor to floor height (ft.)	10	15

ACCESSORY BUILDING

The height of the attached Accessory Buildings shall not exceed the height of the *Primary Building*. For ADUs, however, the maximum building height shall be pursuant to [Sec. 8107-1.7](#).

Sec. 8119-1.3.3 - Residential (RES) Zone**a. Building Placement** (AM. ORD. 4519 - 2/27/18)

- Buildings, Accessory Dwelling units (ADU) pursuant to Sec. 8107-1.7.5, and other habitable/non-habitable accessory buildings shall be located within the building site per [Table 1.3.3\(a\)](#) below, except that setbacks for ADUs shall be consistent with Sec. 8107-1.7.5. Setbacks are measured as per Sec. 8106-4.
- See [Sec. 8119-1.4](#) (Building Type Standards) for allowed building types, minimum and maximum lot width and depth dimensions, and applicable design requirements.
- See [Sec. 8119-1.8](#) for additional requirements.
- For all other applicable standards regarding ADUs, see Sec. 8107-1.7.

TABLE 1.3.3(a) BUILDING PLACEMENT STANDARDS

PRIMARY BUILDING		MIN.	MAX.
a	Primary Street Setback ¹	15 ft. or prevailing setback for block length	20 ft.
b	Side Street Setback ¹	10 ft.	—
c	Side Setback	5 ft.	—
d	Rear Setback	10 ft.	—
ACCESSORY BUILDING		MIN.	MAX.
a'	Primary Street Setback ¹	Locate on Rear 40% of lot	
b'	Side Street Setback ^{1, 3}	10 ft.	—
c'	Side Setback ^{2, 3}	5 ft.	—
d'	Rear Setback ^{2, 3}	5 ft.	—


[1] Primary and Side Street setbacks shall be landscaped.

[2] An exception is allowed for non-habitable accessory buildings where the minimum side and rear setback can be 3 ft. (Per Sec. 8106-5.1).

[3] Minimum setbacks for ADUs shall be pursuant to Sec. 8107-1.7.

b. Building Profile (AM. ORD. 4519 - 2/27/18)

- Building heights shall comply with the standards listed in [Table 1.3.3\(b\)](#) below and are measured as per [Sec. 8119-1.8.2](#). Floor heights are measured floor to floor.
- The maximum height of buildings with flat roofs shall include parapets and roof decks.
- Chimneys and other architectural features may project beyond the maximum building height as allowed by the California Building Code and Sec. 8106-7.

TABLE 1.3.3(b) BUILDING PROFILE STANDARDS

PRIMARY BUILDING		MIN.	MAX.
e	Building height (stories)	1	2
	Building height (ft.)	—	35
f	Height to top-of-plate (ft.)	—	25
g	Ground floor level above sidewalk (ft.)	0	3
h	Ground story height (ft.)	9	12
i	Upper story height (ft.)	9	12
ACCESSORY BUILDING		MIN.	MAX.
e'	Building height (stories)	1	2'
	Building height (ft.) ^{2, 3}	—	25
f'	Height to top-of-plate (ft.)	—	20
g'	Floor height (ft.)	9	10

[1] Only allowed if it is: (a) a 2-story ADU, or (b) an ADU located over a non-habitable accessory building.

[2] Building height of Accessory Building shall not exceed the height of the Primary Building.


[3] Maximum building height for ADUs shall be pursuant to Sec. 8107-1.7.

Sec. 8119-1.3.3 - Residential (RES) Zone (contd.)

e. Building Encroachments

1. Permitted *frontage* types per [Sec. 8119-1.5](#) (Frontage Type Standards) may encroach into setbacks as identified in [Table 1.3.3\(e\)](#) below.
2. Architectural elements, including bay windows, balconies (covered or uncovered), chimneys, eaves, and signage may encroach into setbacks as identified in [Table 1.3.3\(e\)](#) below. As part of the main building, cantilevered rooms are also allowed to encroach.
3. No encroachments shall be permitted within the public right-of-way.
4. Maximum dimensions of architectural elements, including bay windows, balconies (covered or uncovered), cantilevered rooms, chimneys, and eaves are indicated in [Table 1.3.3\(e\)](#) below. See [Sec. 8119-1.5](#) (Frontage Type Standards) for dimensions of allowed *frontage* types and [Sec. 8119-1.6](#) (Signage Standards) for dimensions of allowed signage types.
5. See following sections for allowances; Sec. 8106-5 for fire escapes and open unenclosed stairways (Sec. 8106-5.6); depressed ramps (Sec. 8106-5.8); uncovered, unenclosed landing and porches (Sec. 8106-5.9); and decks (Sec. 8106-5.10).

TABLE 1.3.3(e) BUILDING ENCROACHMENT STANDARDS



BUILDING ENCROACHMENT STANDARDS

ENCROACHMENT TYPE	MAXIMUM ENCROACHMENT (q)				MAX. LENGTH		MIN. DISTANCE BETWEEN ENCROACHMENTS (s)
	FRONT	SIDE STREET	SIDE YARD	REAR YARD	PER INDIVIDUAL ENCROACHMENT (r)	ALL ENCROACHMENTS COMBINED	
Bay Windows ¹	3 ft.	3 ft.	0 ft.	3 ft.	12 ft.	20 ft. or 45% of façade length, whichever is greater	8 ft.
Balconies ²	3 ft.	3 ft.	0 ft.	3 ft.			
Cantilevered rooms ²	0 ft.	0 ft.	0 ft.	2 ft.			
Chimneys	2 ft.	2 ft.	2 ft.	2 ft.	4 ft.	16 ft.	8 ft.
Eaves	2 ft. ³	2 ft. ³	2 ft.	2 ft. ³	n/a	100% of façade length	n/a
Porch, Stoop	5 ft.	5 ft.	2 ft.	2 ft.	See Sec. 8119-1.5.4 and Sec. 8119-1.5.5		

[1] Bay windows are allowed only on the ground floor.

[2] Balconies and cantilevered rooms are allowed only on second floor.

[3] Eaves may encroach up to 5 feet into front, rear and side street setback when extending from a bay window, covered balcony, or cantilevered room.

Sec. 8119-1.4 - Building Type Standards

Sec. 8119-1.4.1 - Allowable Building Types by Zone

A parcel may only be developed with a building type allowed by this Section. Allowable building types for each zone in Old Town Saticoy are shown in [Table 1.4.1](#) below. Section references in the table indicate the location for Building Type standards.

TABLE 1.4.1. ALLOWED BUILDING TYPES BY ZONE				
BUILDING TYPES	ZONE			
	TC	R/MU	RES	IND
Commercial/Mixed-Use Building	Sec. 8119-1.4.3	Sec. 8119-1.4.3		Sec. 8119-1.4.3
Courtyard Building	Sec. 8119-1.4.4	Sec. 8119-1.4.4		
Townhouse		Sec. 8119-1.4.5		
Small Apartment Building		Sec. 8119-1.4.6		
Triplex and Quadplex		Sec. 8119-1.4.7	Sec. 8119-1.4.7	
Single-Family House and Duplex		Sec. 8119-1.4.8 ²	Sec. 8119-1.4.8	
Industrial Building				Sec. 8119-1.4.9
Accessory Dwellings (habitable) ¹	Sec. 8119-1.4.10	Sec. 8119-1.4.10	Sec. 8119-1.4.10	Sec. 8119-1.4.10
Accessory Structures (non-habitable)			Sec. 8119-1.4.11	

[1] There are several types of accessory, habitable buildings:

- Accessory Dwelling Units, which are allowed in the R/MU and RES zones, and Junior Accessory Dwelling Units, which are allowed in the RES zone, pursuant to Sec. 8107-1.7 (AM. ORD. 4519 - 2/27/18), and
- Caretaker dwelling units and those for Superintendent/Owner, which are allowed in the TC, R/MU, and IND zones.

[2] Duplexes are allowed in the R/MU zone when only a 3/4" water meter is available.

Sec. 8119-1.4.2 - Requirements for all Building Types

See [Sec. 8119-1.4.3 through Sec. 8119-1.4.11](#) for detailed Building Type standards.

a. Building Size, Massing and Materials

All *Principal* and *Secondary* uses shall be conducted within a completely enclosed building, unless the use is specifically identified as an outdoor use or is one which must be located outdoors in order to function.

1. **Corner Lots:** When a building is located on a corner lot, the *Primary* and *Side Street* façades shall utilize the same materials and finishes.
2. **Street-Facing Façades:** In order to ensure that building size and massing is consistent with the small-town character of Old Town Saticoy:
 - i. The length of *façade* shall be limited to the standards in [Tables 1.4.3. through 1.4.11](#).
 - ii. If the *façade* length exceeds 100 feet, the *façade* shall be visually broken up into multiple vertical segments (Also see [Sec. 8119-1.4.2\(a\)\(3\). Building Façades](#)).



Example of a commercial building that breaks a long façade into multiple vertical segments.

Sec. 8119-1.4.8 - Single-Family House and Duplex

Single-Family Houses and Duplexes are “house-form” buildings that are surrounded on all four sides by setbacks (front yard, side yards, rear yard). Single-Family Houses contain only one unit. Duplexes contain two dwelling units, which can be organized side-by-side or vertically (top/bottom units). On-site open space is provided by a rear yard. All Single-Family and Duplex Buildings shall meet the standards listed in [Table 1.4.8](#).

Habitable and non-habitable Accessory Structures such as accessory dwelling units, garages, and storage rooms may be located on a single-family lot or a multifamily lot per the requirements of [Tables 1.3.3\(a\) to 1.3.3\(e\)](#), and Sec. 8107-1.7. For Building Type Standards for habitable and non-habitable Accessory structures, see [Sec. 8119-1.4.10](#) and [Sec. 8119-1.4.11](#)). For additional Accessory Dwelling Unit and Junior Accessory Dwelling Unit requirements, see Sec. 8107-1.7.

(AM. ORD. 4519 - 2/27/18)



Single-Family House (left) and Duplex (right) Building Types with detached garages shown in back yard along alleyway.



Illustrative Photo of Single-Family House



Illustrative Photo of Single-Family or Duplex dwelling

Sec. 8119-1.4.10 - Accessory Dwellings (and other habitable structures)

(AM. ORD. 4507/4509 - 3/14/17 (expired 3/14/18);
AM. ORD. 4519 - 2/27/18)


Accessory dwellings share the lot with a single-family or multifamily dwelling (or other *principal use*), and shall be smaller than the *principal* dwelling and located at the rear of the lot (See [Table 1.3.3\(a\)](#)) in one of the following configurations:

a. Accessory Dwellings:

These types of dwellings include, but are not limited to, Accessory Dwelling Units (ADUs) in the R/MU and RES zones, Junior Accessory Dwelling Units (JADUs) in the RES zone, and *live/work units*, Caretakers Dwelling units, or units for Superintendent or Owner (as permitted by [Sec. 8119-1.2](#)) in the TC, R/MU and IND zones. In general, these units include sanitation facilities (i.e. toilet, and shower or bathtub) or a kitchen, or both, and can be attached to the *principal* dwelling or a garage, but cannot have internal access to the *principal* dwelling or garage. Apply Sec. 8107-1.7 for all other requirements related to ADUs and JADUs.

b. Other habitable accessory structures:

An attached or detached habitable dwelling located above or beside a non-habitable accessory building (such as garage, or storage shed). Uses for these structures include, but are not limited to, artists studios, workshops and workout rooms. This type of structure shall not include bathing facilities or kitchens, and has no internal access to the *principal use*. Habitable *accessory* structures are not intended as dwelling units.



A habitable Accessory Dwelling Type configured as an accessory dwelling unit on top of a garage, detached from the primary building.

Multiple habitable *accessory* structures are allowed on one lot, but can include only the number of ADUs and JADUs as specified in Sec. 8107-1.7. All structures shall comply with all pertaining zone standards (setbacks, lot coverage, etc). All Accessory Buildings shall meet the standards listed in [Table 1.4.10](#).



Illustrative Photo of a habitable Accessory Dwelling unit located over a garage (a two-story configuration).



Illustrative Photo of a habitable Accessory Dwelling located behind the principal dwelling (a one-story configuration).

TABLE 1.4.10. ACCESSORY DWELLINGS (AND OTHER HABITABLE STRUCTURES)

STANDARD	ZONE			
	TC	R/MU	RES	IND
1. LOT SIZE ³				
A. Width	50 ft. min.			
B. Depth	100 ft. min.			
C. Min. Lot Size (SF)	As determined by the PD or CUP for the use on site		n/a	As determined by the PD or CUP for the use on site
2. BUILDING SIZE AND MASSING ³				
A. Height (max.)	1 story / 15 ft.	1 story / 15 ft.	2 stories / 25 ft. ; 1 story / 15 ft.	1 story / 15 ft.
B. Length along alley	30 ft. max.	n/a	30 ft. max.	n/a
C. Length along side yard	20 ft. max.			
D. Building and Unit size for Accessory Dwellings (SF) ^{1,2}	Caretakers, and Superintendent/Owners: 700 SF max. building footprint; Dwelling size: 400 SF min. to 700 SF max		n/a	Same as TC and R/MU
3. PEDESTRIAN ACCESS FROM PRIMARY OR SIDE STREET				
A. Internal lots	Side yard connected to a Primary Street; or rear yard connected to an alley	Side yard connected to a Primary Street	Side yard connected to a Primary Street; or rear yard connected to an alley	Side yard connected to a Primary Street
B. Corner lots	From Side street, required			
4. PARKING ACCESS ⁴				
A. Lot with alley	From alley	n/a	From alley	n/a
B. Corner lot without alley	Min. 12 ft. wide driveway connected to a Side Street			
C. Internal lot without alley	Min. 12 ft. wide driveway connected to a Primary Street, located as close to side yard property line as possible.			
5. PARKING TYPE				
A. Type	Surface lot, garage, carport, or open			
6. OPEN SPACE AND LANDSCAPE				
A. Side Street Setbacks	Landscaping required in Side Street setback			
B. Private Open Space	n/a	<ul style="list-style-type: none">Ground floor units: Rear/side yard; min. size: 80 SF.Balcony (for 2nd story unit only): min. size: 40 SF with min. dimensions 5 ft. x 8 ft.		n/a
C. Common Open Space	10 ft. min. width along rear or side yard facing accessory structure			
7. FRONTAGE				
A. Ground Floor	No frontage type required (may include Stoop in RES zone - See Sec. 8119-1.5.4); Street- and alley-facing windows required.			
B. Upper Floors	Street- and alley-facing windows required			

[1] Refers to Gross Floor Area.

[2] Multiple accessory structures are allowed on one lot, but shall not exceed a cumulative gross floor area of 2,000 SF, except for ADUs allowed pursuant to Sec. 8107-1.7. This may include a combination of structures identified in [Sec. 8119-1.4.10\(b\)](#) and [Sec. 8119-1.4.11](#). See Sec. 8107-1.7 for the maximum allowable number and unit size for ADUs and JADUs per lot.

[3] These lot size, building size and massing requirements do not apply to ADUs. See Section 8107-1.7.

[4] Driveway standards may be adjusted as per requirements of the Ventura County Fire Prevention District.


Sec. 8119-1.4.11 - Accessory Structure (Non-habitable)

(AM. ORD. 4519 - 2/27/18)

Accessory Structures which are non-habitable include separate buildings that share a lot with a street-facing single-family house, duplex, *triplex* or *quadplex*. These Accessory Structures are one-story and include a detached garage, storage shed, or similar uses. Non-habitable accessory structures must be smaller than the *principal* dwelling and are located at the rear of the lot.

All non-habitable Accessory Structures shall meet the standards listed in [Table 1.4.11](#).

Note: An accessory dwelling unit may be located above or beside a garage, as long as there is no internal access. (Refer to Sec. 8107-1.7.5(i))



A non-habitable Accessory Building Type configured as the following:

(on left): as a garage, detached from the primary building, with a habitable accessory dwelling unit located on top; and
(on right) as a single-story detached structure such as a garage, workshop, storage shed, etc.



Illustrative Photo of a ground-floor non-habitable garage, configured with a habitable accessory unit above it with no internal access and detached from the principal dwelling.



Illustrative Photo of a one-story non-habitable Accessory Structure (storage shed) located behind the principal dwelling.

Section 7

If any section, subsection, sentence, clause, phrase, word or provision of this ordinance is for any reason held to be invalid or unconstitutional by a court of competent jurisdiction, such decision shall not affect the validity of the remaining portions of this ordinance. The Ventura County Board of Supervisors hereby declares that it would have passed and adopted this ordinance, and each and all provisions hereof, irrespective of the fact that any one or more provisions may be deemed invalid or unconstitutional.

Section 8

This ordinance shall become effective and operative 30 days after adoption.

PASSED AND ADOPTED this 7 day of February, 2023, by the following vote:

AYES: Supervisors Gorell, Long, Parvin, Lopez, LaYere

NOES: Supervisors none

ABSENT: Supervisors none



CHAIR, BOARD OF SUPERVISORS

ATTEST:

DR. SEVET JOHNSON

Clerk of the Board of Supervisors

County of Ventura, State of California

By 

Deputy Clerk of the Board

